

Drug Facts

Active ingredient (%)	Purpose
Tolnaftate 1% w/w	Antifungal

Uses For effective treatment of: • athlete’s foot (Tinea Pedis) • jock itch (Tinea Cruris) • ringworm (Tinea Corporis). For the relief of itching, burning feet • For the prevention of athlete’s foot with daily use.

Warnings For external use only. Avoid contact with eyes. Do not use • on children under 2 years of age, unless directed by a doctor.

Stop use and ask a doctor if • irritation occurs (for the prevention of athlete’s foot) or if irritation occurs or if there is no improvement within 4 weeks (for athlete’s foot or ringworm) or within 2 weeks for (jock itch)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, consult a health professional before use.

Directions • Clean the affected area and dry thoroughly. • Sprinkle a thin layer of Hongo Killer® powder over affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of Hongo Killer®. For athlete’s foot: Pay special attention to spaces between the toes, wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. • For athlete’s foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails. • To prevent athlete’s foot, wash the feet and dry thoroughly. Apply a thin layer of Hongo Killer® powder to the feet once or twice daily (morning and/or night).

Other information • Store between 15°- 30° C (59°- 86° F)

Inactive ingredients • Corn (Zea Mays) Starch, Fragrance, Methylparaben, Propylparaben, Sodium Bicarbonate, Talc, and Zinc Oxide.

Questions or Comments? www.efficientlabs.com - 305-805-3456 M-F 9am-5pm EST

• Hongo Killer® is also available in spray, antifungal solution, cream, nail formula and spray powder.